

ACCEPTEDFOR REGI\$TRATION

11/20/2015

New York State Department of Environmental Conserva ALSTAR* LG 0.069% Division of Materials Management PERTILIZER

For use to control ants (including imported fire ants), mole crickets and other listed pests on lawns in landscaped areas around residential, institutional, public, commercial and industrial buildings, parks, recreational areas and athletic fields. For Use as a Quarantine Treatment against Imported Fire Ants and for Balled and Containerized Nursery Stocks.

ACTIVE	INGREDIE	VT:			BY WT.
Bifenthr	in*		 	 	0.069%
OTHER	INGREDIEN	TS	 	 	99.931%

*Cis isomers 97% minimum, trans isomers 3% maximum.

Contains LESCO® Poly Plus® Polymer Coated Urea to provide uniform growth with extended nitrogen feeding.

U.S. Patent No. 4,238,505

CAUTION

FIRST AID

IF ON	SKIN
IF ON OR	

. Take off contaminated clothing.

Rinse skin immediately with plenty of water for 15-20 minutes
Call a poison control center or doctor for treatment advice.

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-(800)-424-9300 for Emergency Assistance.

NOTE TO PHYSICIAN: This product is a pyrethroid. If large amounts have been ingested, milk, cream and other digestible fats and oils may increase absorption and so should be avoided.

For Information Regarding the Use of this Product Call 1-800-424-9300.

PRECAUTIONARY STATEMENTS Hazards to Humans (and Domestic Animals) CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing up. using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply when weather conditions favor drift from treated areas. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift.

Apply this product directly to the lawn or garden area. Water treated area as directed on this label. Do not water to the point of run-off. Do not make applications during rain.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Do not apply more than 580 pounds of PRO-MATE® TALSTAR® LG 0.069% WITH FERTILIZER per acre per year.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use close tightly. In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call CHEMTREC: (800) 424-9300.

To confine spill: Cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Paper and plastic bags: Non-refillable. Do not reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling, if available, or dispose of empty bag in a sanitary landfill or by incineration, or by burning. Do not burn unless allowed by state or local authorities. If burned, stay out of smoke.

SEE INSIDE LEAFLET FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND COMPLETE DIRECTIONS FOR USE.

AD 083112

EPA Reg. No. 279-3216-5905

EPA Est. No.: First letters of batch code indicate producing establishment: 5905-NC-018 = RNC; 5905-FL-013 = FPF; 5905-NM-001 = MNM; 5905-KS-007 = SK; 5905-TX-048 = GTX

NET WEIGHT: 50 LBS. (22.68 kg)

Covers from 7,500 to 15,000 SQ. FT.

DOC ID 543793

Manufactured For

HELENA CHEMICAL COMPANY

225 SCHILLING BOULEVARD, SUITE 300 COLLIERVILLE. TENNESSEE 38017

FF-31038-1



PRECAUTIONARY STATEMENTS

Hazards to Humans (and Domestic Animals) CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply when weather conditions favor drift from treated areas. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift.

Apply this product directly to the lawn or garden area. Water treated area as directed on this label. Do not water to the point of run-off. Do not make applications during rain.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Do not apply more than 580 pounds of PRO-MATE® TALSTAR® LG 0.069% WITH FERTILIZER per acre per year.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use close tightly. In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call CHEMTREC: (800) 424-9300.

To confine spill: Cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Paper and plastic bags: Non-refillable. Do not reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling, if available, or dispose of empty bag in a sanitary landfill or by incineration, or by burning. Do not burn unless allowed by state or local authorities. If burned, stay out of smoke.

LAWN AND PERIMETER APPLICATIONS

Perimeter Application: Apply to lawn area 6 to 10 feet wide around and adjacent to the structure using an application rate of 3.33 to 6.66 pounds per 1,000 square feet.

Lawn Application: Broadcast PRO-MATE® TALSTAR® LG 0.069% WITH FERTILIZER with suitable application equipment to ensure uniform coverage over the treatment area. Apply 3.33 to 6.66 pounds per 1,000 square feet to control the following pests

Annual Bluegrass Weevils (Hyperodes) (Adult)	Centipedes ² Chinch Bugs ²	Mealybugs Millipedes ²	
Ants ²	Cutworms	Mole Crickets ²	
Armyworms	Fleas	Sod Webworms	
Billbugs (Adult) Black Turfgrass Ataenius (Adult)	Imported Fire Ants ^{1,2} Leafhoppers	Ticks ²	

Comments

¹Imported Fire Ants: Control will be optimized by comated fly-in queens with mound treatments (using TA trol existing colonies.

²The higher application rate may be required to contrc Crickets & Ticks.

In New York State, this product may NOT be appond, river, stream, wetland, or drainage ditch).

In New York State, do make a single repeat ap there are signs of renewed insect activity, but n

RECOMMEND

SPREADER SI	ETTINGS: Apply a
Adjust spreader settings prior to	application of
Spreader Type	1 lb.
SGN 200-220	
Pro-Scape®/Prizelawn Bigfoot BF-1/SS	E
Pennmulch®/Prizelawn HVO	E
Cyclone	3-1/2
Earthway Rotary	12
Ezee-Flow	C1
Gandy	22
Jet-Spred II	3-1/2
Jet-Spred III	4
Lely HR, 1250, 1500, 2010	3
Lely W	3
Lesco (Letters)	D
Lesco (Numbers)	10
Ortho Rotary	2
Prizelawn CBR III	E
Prizelawn CBR II	2-1/2
Prizelawn LF-1	2
Prizelawn MPR I	2
Republic Rotary	2
Scotts RX7	D
Scotts Accupro 2000, SR-2000	F
Scotts R8A/SR-1	- 1
Scotts AP	1
Scotts SR2000	I
Spyker	3
Vicon	20

Note: These spreader settings were established using and speeds typically used within the industry. It is reco to achieve the desired application rate:





s)

th soap and water after handling

ins favor drift from treated areas, protect the environment, do not ing this product in calm weather wash pesticide off the treatment of the lawn or garden will help to

ply this product in a way that will

not water to the point of run-off.

uction, or for research purposes. er acre per year.

ılation.

: Store in a cool, dry place and itact, isolate area and keep out

ify contents.

or at an approved waste dis-

ner. Completely empty bag into andfill or by incineration, or by

using an application rate of 3.33

uitable application equipment to control the following pests

ets² orms

Comments

Imported Fire Ants: Control will be optimized by combining broadcast applications that will control foraging workers and newly mated fly-in queens with mound treatments (using TALSTAR® Professional Insecticide – EPA Reg. No. 279-3206) that will control existing colonies.

²The higher application rate may be required to control Ants, Centipedes, Chinch Bugs, Fleas, Imported Fire Ants, Millipedes, Mole Crickets & Ticks.

In New York State, this product may NOT be applied to any grass or turf area within 100 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).

In New York State, do make a single repeat application of PRO-MATE® TALSTAR® LG 0.069% WITH FERTILIZER if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

RECOMMENDED SPREADER SETTINGS

SPREADER S	ETTINGS: Apply a	nt the Listed F	Pounds of proc	luct per 1,000	square feet		
Adjust spreader settings prior to application of product. Read and follow all use directions before applying any product.							
Spreader Type	1 lb.	2 lbs.	3 lbs.	4 lbs.	5 lbs.	6 lbs.	7 lbs.
SGN 200-220		•					
Pro-Scape®/Prizelawn Bigfoot BF-1/SS	E	J	L	N	0	P	R
Pennmulch®/Prizelawn HVO	E	J	L	N	0	P	R
Cyclone	3-1/2	4	4-1/2	5	5-1/2	5-3/4	6
Earthway Rotary	12	14	15	16	18	20	22
Ezee-Flow	C1	C2	C2-1/2	C3	A4	A5	A6
Gandy	22	24	26	28	30	32	34
Jet-Spred II	3-1/2	4	4-1/2	5	5½	5-3/4	6
Jet-Spred III	4	4-1/2	5	5½	6	6-1/4	6-1/2
Lely HR, 1250, 1500, 2010	3	4 II	5 II	6 II	6-1/2 II	7 II	7-1/2 II
Lely W	3	4 II	5 II	6 II	6-1/2 II	7 II	7-1/2 II
Lesco (Letters)	D	G	I	J	K	L	М
Lesco (Numbers)	10	15	17	21	22	24	26
Ortho Rotary	2	3	4-1/2	5-1/2	6	8	9
Prizelawn CBR III	E	J	L	N	0	P	R
Prizelawn CBR II	2-1/2	4	4-1/2	5-1/2	6	6-1/2	8
Prizelawn LF-1	2	2-1/2	3-1/2	4	4-1/2	5	6
Prizelawn MPR I	2	2-1/2	3-1/2	4	4-1/2	5	6
Republic Rotary	2	3	4-1/2	5-1/2	6	8	9
Scotts RX7	D	Е	G	I	J	L	M
Scotts Accupro 2000, SR-2000	F	Н	K	М	0	Р	R
Scotts R8A/SR-1	I	К	L	M	N	0	Р
Scotts AP	ı	K	L	М	N	0	Р
Scotts SR2000	ı	K	L	М	N	0	Р
Spyker	3	4	4-1/2	4-3/4	5-1/4	5-1/2	6
Vicon	20	22	24	26	30	31	32

Note: These spreader settings were established using standard equipment available from the spreader manufacturer at swath widths and speeds typically used within the industry. It is recommended that all spreader equipment be calibrated at the time of application to achieve the desired application rate:

Information regarding the contents and level Information regarding the contents and level Information regarding the contents and leve xx.com.

ORNAMENTAL USE

(For soil incorporation into potting media u Christmas trees, and non-bearing fruit and r

HERB USE

For soil incorporation into potting media use net; camomile; catnip; chervil; chive, chiv horehound; hyssop; lavender; lemongrass; le savory, summer and winter; sweet bay; tans) val is 70 days for herbs listed above.

Application Instructions for Potting Me volume of the mix. Based on the length of cc LG 0.069% WITH FERTILIZER with equ STAR® LG 0.069% WITH FERTILIZER distribution of the product of the mix.

PRO-MATE® TALSTAR® LG 0.069% W
Quarantine Certification program when use
below to determine the length of control re

Pest	USDA IFA Certification Period (mo)	
Imported Fire Ant	0 – 6 7 – 12	
	13 – 24 Continuous	

Comments: Incorporate appropriate amou of potting media based on the known bulk



nat will control foraging workers and newly **te** – EPA Reg. No. 279-3206) that will con-

Fleas, Imported Fire Ants, Millipedes, Mole

within 100 feet of a water body (lake,

TAR® LG 0.069% WITH FERTILIZER if r the first application.

TINGS

00 square feet ons before applying any product.					
5 lbs.	6 lbs.	7 lbs.			
0	Р	R			
0	P	R			
5-1/2	5-3/4	6			
18	20	22			
A4	A5	A6			
30	32	34			
5½	5-3/4	6			
6	6-1/4	6-1/2			
6-1/2 II	7 II	7-1/2 I			
6-1/2 II	7 II	7-1/2 I			
K	L	M			
22	24	26			
6	8	9			
0	P	R			
6	6-1/2	8			
4-1/2	5	6			
4-1/2	5	6			
6	8	9			
J	L	M			
0	Р	R			
N	0	P			
N	0	P			
N	0	P			
5-1/4	5-1/2	6			
30	31	32			

the spreader manufacturer at swath widths nent be calibrated at the time of application

Information regarding the contents and levels of metals in this product is available on the internet at http://www.wa.gov/agr. Information regarding the contents and levels of metals in this product is available on the internet at http://aapfco.org/metals. Information regarding the contents and levels of metals in this product is available on the internet at http://www.regulatory-info-xx.com

ORNAMENTAL USE

(For soil incorporation into potting media used in containerized plantings of ornamental trees, shrubs, plants, flowers, conifers, Christmas trees, and non-bearing fruit and nut trees, and bushes.)

HERR USE

For soil incorporation into potting media used in containerized plantings of the following herbs: Angelica; balm; basil; borage; burnet; camomile; catnip; chervil; chive; chive, chinese; clary; coriander (leaf); costmary; culantro (leaf); curry (leaf); dillweed; horehound; hyssop; lavender; lemongrass; lovage (leaf); marigold; marjoram; nasturtium; parsley; pennyroyal; rosemary; rue; sage; savory, summer and winter; sweet bay; tansy; tarragon; thyme; wintergreen; woodruff; and wormwood. Minimum preshipment interval is 70 days for herbs listed above.

Application Instructions for Potting Media: Determine bulk density of the potting media by measuring the dry weight of a unit volume of the mix. Based on the length of control required, thoroughly mix the appropriate quantity of the PRO-MATE® TALSTAR® LG 0.069% WITH FERTILIZER with equipment suitable to give uniform distribution in the potting media. PRO-MATE® TALSTAR® LG 0.069% WITH FERTILIZER may be pre-mixed with an appropriate amount of sand (1:10) to ensure adequate distribution of the product of the mix.

PRO-MATE® TALSTAR® LG 0.069% WITH FERTILIZER is approved under the USDA Plant Protection Imported Fire Ant Quarantine Certification program when used in accordance with USDA guidelines. Use the application rates given in the table below to determine the length of control required for certification.

Pest	USDA IFA Certification Period (mo)	Certification App. Rate		Potting Media Bulk Density* (lbs. PRO-MATE® TALSTAR® LG 0.069% WITH FERTILIZER Per Cubic Yard)				
	Period (IIIO)		200	300	400	500	600	
Imported Fire Ant	0 – 6	10	2.9	4.3	5.8	7.25	8.7	
	7 – 12	12	3.5	5.2	7.0	8.7	10.4	
	13 – 24	15	4.4	6.6	8.7	10.9	13.0	
	Continuous	25	7.2	10.9	14.5	18.1	21.7	

Comments: Incorporate appropriate amount of PRO-MATE® TALSTAR® LG 0.069% WITH FERTILIZER in one cubic yard of potting media based on the known bulk density.



For General Use On Ornamental Plants outside the scope of USDA guidelines

For Fungus Gnat larvae & Mealybugs use 5 to 10 ppm. For Black Vine Weevil larvae, Root Weevil larvae, White Grubs (including Japanese Beetle, oriental beetle and European chafer larvae) & Imported Fire Ants use 10 to 25 ppm. Use the higher rates for extended residual control.

Pest	App. Rate (ppm)	Potting Media Bulk Density* (Ibs. PRO-MATE® TALSTAR® LG 0.069% WITH FERTIL Per Cubic Yard)						
		200	300	400	500	600		
Fungus Gnat larvae Mealybugs	5 10	0.5 2.9	0.75 4.3	1.0 5.8	1.25 7.25	1.5 8.7		
Black Vine Weevil Root Weevil larvae White Grubs Imported Fire Ants	10 15 25	2.9 4.4 7.2	4.3 6.6 10.9	5.8 8.7 14.5	7.25 10.9 18.1	8.7 13.0 21.7		

Comments: Incorporate appropriate amount of PRO-MATE® TALSTAR® LG 0.069% WITH FERTILIZER in one cubic yard of potting media based on the known bulk density.

*lbs. of PRO-MATE® TALSTAR® LG 0.069% WITH FERTILIZER per cubic yard

= bulk density of potting media x ppm

690

(bulk density = laboratory determined dry weight of a unit volume of potting media.)

CONDITIONS OF SALE AND LIN

NOTICE: Read the entire Directions for Use and Condition this product. If the terms are not acceptable, return the

The Directions for Use of this product must be followed ci use of this product. Crop injury, ineffectiveness, or other ui use or application, weather or crop conditions beyond the assumed by Buyer and User, and Buyer and User agree to relating to such factors.

Seller warrants that this product conforms to the c poses stated on the Directions for Use when used i EXCEPT AS WARRANTED BY THIS LABEL, HELE CHANTABILITY OR OF FITNESS FOR A PARTICULAR WITH RESPECT TO THE SELECTION, PURCHASE, having been made are inapplicable if this product conditions, or under conditions not reasonably fore COMPANY, and buyer assumes the risk of any such

NOTICE: Read the entire Directions for Use and Conditic this product. If the terms are not acceptable, return the pr To the extent consistent with applicable law, HELENA CH quential or special damages resulting from the use or har LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUY! AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJU RANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABI THIS PRODUCT, SHALL BE THE RETURN OF THE PUR CHEMICAL COMPANY OR SELLER, THE REPLACEMENT This Conditions of Sale and Limitation of Warranty and Lia

© Copyright Helena Holding Company, 2012 **TALSTAR®** is a registered trademark of FMC Corporation.

LESCO® and Poly Plus® are registered trademarks of LE Coated Urea.

PRO-MATE® is a registered trademark of Helena Holding





rvae, White Grubs (including om. Use the higher rates for

% WITH FERTILIZER

500	600
1.25	1.5
7.25	8.7
7.25	8.7
10.9	13.0
18.1	21.7

ITILIZER in one cubic yard

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions beyond the control of HELENA CHEMICAL COMPANY or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold HELENA CHEMICAL COMPANY and Seller harmless for any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the Directions for Use when used in accordance with the directions under normal conditions of use. EXCEPT AS WARRANTED BY THIS LABEL, HELENA CHEMICAL COMPANY MAKES NO WARRANTIES OF MER-CHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE. NOR ANY OTHER EXPRESS OR IMPLIED WARRANTIES WITH RESPECT TO THE SELECTION, PURCHASE, OR USE OF THIS PRODUCT, Any warranties, express or implied. having been made are inapplicable if this product has been used contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to (or beyond the control of) seller or HELENA CHEMICAL COMPANY, and buyer assumes the risk of any such use.

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

To the extent consistent with applicable law, HELENA CHEMICAL COMPANY or seller shall not be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF HELENA CHEMICAL COMPANY AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WAR-RANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF HELENA CHEMICAL COMPANY OR SELLER, THE REPLACEMENT OF THE PRODUCT.

This Conditions of Sale and Limitation of Warranty and Liability may not be amended by any oral or written agreement.

© Copyright Helena Holding Company, 2012

TALSTAR® is a registered trademark of FMC Corporation.

LESCO® and Poly Plus® are registered trademarks of LESCO Technologies, LLC. Poly Plus is comprised of Polymer coated sulfur

PRO-MATE® is a registered trademark of Helena Holding Company.

PRO-MATE®

For use to control ants (including impo scaped areas around residential. i. recreational areas and athletic fields. **Balled and Containerized Nursery Sto**

ACTIVE INGREDIENT:

*Cis isomers 97% minimum, trans isomers 3% maximum U.S. Patent No. 4,238,505

TOTAL

Contains LESCO® Poly Plus® Polymer Coated Urea to prov

FLORIDA APPLICATIONS: For use on golf courses or oth Course and Athletic Field Fertilization Base on Mehlich I E FLORIDA APPLICATIONS: For commercial application to of Water Resources in Florida, June 2002, Florida Trainings/FLGreen/BMP Book final.pdf.

KEEP OU'

SEE INSIDE LEAFLET FOR ADDITIONAL

IF ON SKIN OR CLOTHING:

- Take off contaminated c
- · Rinse skin immediately · Call a poison control ce

Have the product container or label with you contact 1-(800)-424-9300 for Emergency Assis NOTE TO PHYSICIAN: This product is a pyre

oils may increase absorption and so should be

For Information Regarding the Use of this Proc

AD 083112

EPA Reg. No. 279-3216-5905

EPA Est. No.: First letters of batch code in 018=RNC: 5905-FL-013=FPF: 5905-NM-001=

> HELE 225 SCHILLING BOULEV

Job #54903



NTY AND LIABILITY

nty and Liability before buying or using e purchase price will be refunded.

eall risks inherently associated with the lt because of such factors as manner of IMPANY or Seller. All such risks shall be ANY and Seller harmless for any claims

el and is reasonably fit for the purns under normal conditions of use AKES NO WARRANTIES OF MERXPRESS OR IMPLIED WARRANTIES ny warranties, express or implied, el instructions, or under abnormal rol of) seller or HELENA CHEMICAL

nty and Liability before buying or using purchase price will be refunded.

not be liable for any incidental, conse-ENT CONSISTENT WITH APPLICABLE TY OF HELENA CHEMICAL COMPANY CLAIMS BASED ON BREACH OF WAR-G FROM THE USE OR HANDLING OF TOR, AT THE ELECTION OF HELENA

oral or written agreement.

3 is comprised of Polymer coated sulfur

PRO-MATE TALSTAR IG 0.069% WITH PERTILIZER

For use to control ants (including imported fire ants), mole crickets and other listed pests on lawns in landscaped areas around residential, institutional, public, commercial and industrial buildings, parks, recreational areas and athletic fields. For Use as a Quarantine Treatment against Imported Fire Ants and for Balled and Containerized Nursery Stocks.

ACTIVE INGREDIENT:	BY WT.
Bifenthrin*	0.069%
OTHER INGREDIENTS	99.931%
TOTAL 1	00.000%

*Cis isomers 97% minimum, trans isomers 3% maximum

U.S. Patent No. 4,238,505

Contains LESCO® Poly Plus® Polymer Coated Urea to provide uniform growth with extended nitrogen feeding.

FLORIDA APPLICATIONS: For use on golf courses or other athletic turf in FL, we recommend you follow SL 191, "Recommendations for N, P, K and Mg for Golf Course and Athletic Field Fertilization Base on Mehlich I Extractant, available on the internet at http://edis.ifas.ufl.edu/SS404.

FLORIDA APPLICATIONS: For commercial application to urban turf or lawns in FL, we recommend you follow the Best Management Practices for Protection of Water Resources in Florida, June 2002, Florida Green Industries, available on the internet at http://www.dep.state.fl.us/central/Home/Meetings Trainings/FLGreen/BMP Book final.pdf.

CAUTION

SEE INSIDE LEAFLET FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND COMPLETE DIRECTIONS FOR USE.

FIRST AID

IF ON SKIN OR CLOTHING:

- · Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-(800)-424-9300 for Emergency Assistance.

NOTE TO PHYSICIAN: This product is a pyrethroid. If large amounts have been ingested, milk, cream and other digestible fats and oils may increase absorption and so should be avoided.

For Information Regarding the Use of this Product Call 1-800-424-9300.

AD 083112

EPA Reg. No. 279-3216-5905

EPA Est. No.: First letters of batch code indicate producing establishment: 5905-NC-018=RNC; 5905-FL-013=FPF; 5905-NM-001=MNM; 5905-KS-007=SK; 5905-TX-048=GTX

NET WEIGHT: 50 LBS. (22.68 kg) Covers from 7.500 to 15.000 SQ. FT.

Manufactured For

HELENA CHEMICAL COMPANY

225 SCHILLING BOULEVARD, SUITE 300 • COLLIERVILLE, TENNESSEE 38017

Job #54903

